[redacted]

N67-26178

FACILITY FORM 602

(ACCESSION NUMBER)	(THRU)
11	1
(PAGES)	(CODE)
CR 84006	24
(NASA CR OR TMX OR AD NUMBER)	(CATEGORY)

Coordinated Science Laboratory

UNIVERSITY OF ILLINOIS – URBANA, ILLINOIS

COVARIANT NOETHER IDENTITIES IN COVARIANT FIELD THEORIES

John R. Ray

REPORT R-305 JULY, 1966

This work was supported in part by the Joint Services Electronics Program (U. S. Army, U. S. Navy, and U. S. Air Force) under Contract No. DA 28 043 AMC 00073(E); and in part by the National Aeronautics and Space Administration under NASA Research Grant NsG-443.

Reproduction in whole or in part is permitted for any purpose of the United States Government.

Distribution of this report is unlimited. Qualified requesters may obtain copies of this report through DDC.

Abstract

In covariant field theories such as general relativity the application of Noether's theorem results in a set of identities which are satisfied regardless of whether the field equations are satisfied or not (so-called strong conservation laws). In the conventional formulation these identities contain non-tensorial quantities and non-tensorial operations. Thus, for example, the energy-momentum-pseudo-tensor of general relativity is obtained from such formulations. In this paper the identities arising from Noether's theorem are written in an obviously covariant form containing only tensors and covariant derivatives. As an example we give these identities for general relativity.

I. Introduction

Consider a field ψ_A^1 whose field equations may be derived from the principle of stationary action. If $\mathfrak{L}$ is the Lagrangian density for the field ψ_A then the action I is defined by

$$I = \int_{R(x^\ell)} \mathfrak{L}(x^\ell | \psi_A | \psi_{A,r}) \, d^4x \, , \tag{1.1}$$

where $R(x^\ell)$ is the integration region and $\psi_{A,r}$ denotes the derivative of ψ_A with respect to x^r. $\mathfrak{L}$ can always be written in the form

$$\mathfrak{L} = \sqrt{-g}\, L \tag{1.2}$$

where L is a scalar function. In order to introduce our notation we shall consider the variation of I in detail.

Perform the variations

$$\psi_A \rightarrow \psi_A + kv_A = \psi'_A \ , \ \bar{\delta}\psi_A = \psi'_A - \psi_A$$

$$\psi_{A,r} \rightarrow \psi_{A,r} + kv_{A,r} = \psi'_{A,r} \ , \ (\bar{\delta}\psi_A)_{,r} = \bar{\delta}(\psi_{A,r}) \tag{1.3}$$

$$R(x^\ell) \rightarrow R(x^\ell + ku^\ell) = R'(x^\ell) \ , \ \delta x^\ell = ku^\ell$$

where k is an infinitesimal parameter, $u^\ell(x)$ is an arbitrary vector field and v_A is an arbitrary tensor field. The variation $\bar{\delta}\psi_A$ is the Lie differential of ψ_A. The variation of the limits of integration is defined by the third equation in (1.3). Under these variations the action becomes a function of k, expanding about k = 0 and integrating by parts yields the varied action δI

$$\delta I = \int_R \left[\mathfrak{L}^A \bar{\delta}\psi_A + \left(\frac{\partial \mathfrak{L}}{\partial \psi_{A,r}} \bar{\delta}\psi_A + \mathfrak{L}\delta x^r \right)_{,r} \right] d^4x = 0 \ , \tag{1.4}$$

where

$$\mathfrak{L}^A = \frac{\partial \mathfrak{L}}{\partial \psi_A} - \left(\frac{\partial \mathfrak{L}}{\partial \psi_{A,r}} \right)_{,r} \ . \tag{1.5}$$

For all the following analysis we specialize the variations to infinitesimal coordinate transformations. Following Bergmann[2] the field variation $\bar{\delta}\psi_A$ can be written

$$\bar{\delta}\psi_A = F^{Br}_{As} \, \delta x^s{}_{,r} \, \psi_B - \psi_{A,s} \, \delta x^s \ . \tag{1.6}$$

Since $\bar{\delta}\psi_A$ is the Lie differential of a tensor the ordinary derivatives on the right hand side of (1.6) can be replaced by covariant derivatives (which will be denoted by a semicolon)

$$\bar{\delta}\psi_A = F^{Br}_{As} \, \delta x^s{}_{;r} \, \psi_B - \psi_{A;s} \, \delta x^s \ . \tag{1.7}$$

From (1.6) and (1.7) follows

$$\psi_{A;r} = \psi_{A,r} + F_{As}^{Bp}\,\Gamma_{r\ p}^{\ s}\,\psi_B \tag{1.8}$$

where $\Gamma_{r\ p}^{\ s}$ is the Christoffel symbol constructed from the metric tensor $g_{\ell k}$. Equation (1.8) holds for all tensors including $g_{\ell k}$ for which

$$g_{\ell k;r} = \psi_{A;r} = 0 \ . \tag{1.9}$$

There are some results in this paper which are not valid for the $g_{\ell k}$ field because of (1.9). When a formula contains $\psi_{A;r}$ this formula may not hold for the metric field $g_{\ell k}$. When these cases arise they will either be explicitly pointed out or obvious from the context. For variations which vanish on the boundary we can use Gauss's law and (1.4) to deduce Lagrange's equations

$$\mathfrak{L}^A = 0 \ . \tag{1.10}$$

In order to derive the identities implied by Noether's theorem, however, we assume the field equations are not satisfied.

II. Conventional Formulation

In order to derive Noether's identities in the conventional formalism one uses (1.6) and (1.4) and obtains

$$\delta I = \int_R \Big[\Big(- (\mathfrak{L}^A F^{Br}_{As} \psi_B)_{,r} - \mathfrak{L}^A \psi_{A,s} \Big) \delta x^s + \Big((\mathfrak{L} \delta^r_s + \mathfrak{L}^A F^{Br}_{As} \psi_B) \delta x^s + \frac{\partial \mathfrak{L}}{\partial \psi_{A,r}} (F^{Bp}_{As} \psi_B \delta x^s{}_{,p} - \psi_{A,s} \delta x^s) \Big)_{,r} \Big] d^4x = 0 \qquad (2.1)$$

If Gauss's law is used in (2.1) and variations which vanish on the boundary are considered, one obtains the identities

$$(\mathfrak{L}^A F^{Br}_{As} \psi_B)_{,r} + \mathfrak{L}^A \psi_{A,s} = 0 \qquad (2.2)$$

which are called the Bianchi identities by Bergmann.[2] Using the Bianchi identities in (2.1) one obtains

$$\delta I = \int_R \Big[- \Big(\frac{\partial \mathfrak{L}}{\partial \psi_{A,r}} \psi_{A,s} - \delta^r_s \mathfrak{L} - \mathfrak{L}^A F^{Br}_{As} \psi_B \Big)_{,r} \delta x^s - \Big(\frac{\partial \mathfrak{L}}{\partial \psi_{A,r}} \psi_{A,s} - \delta^r_s \mathfrak{L} - \mathfrak{L}^A F^{Br}_{As} \psi_B - (F^{Br}_{As} \frac{\partial \mathfrak{L}}{\partial \psi_{A,p}} \psi_B)_{,p} \Big) \delta x^s{}_{,r} + \frac{\partial \mathfrak{L}}{\partial \psi_{A,\ell}} F^{Br}_{As} \psi_B \delta x^s{}_{,r,\ell} \Big] d^4x = 0 \, . \qquad (2.3)$$

At any point δx^s, $\delta x^s{}_{,r}$ and $\delta x^s{}_{,r,\ell}$ are independent and their coefficients must vanish separately. One must use the symmetry property

$$\delta x^s{}_{,r,\ell} = \delta x^s{}_{,\ell,r}$$

before setting the coefficients of $\delta x^s{}_{,r,\ell}$ equal to zero. Define

$$t_s^r = \frac{\partial \mathfrak{L}}{\partial \psi_{A,r}} \psi_{A,s} - \delta_s^r \mathfrak{L} \ , \tag{2.4a}$$

$$T_s^r = t_s^r - \mathfrak{L}^A F_{As}^{Br} \psi_B \ , \tag{2.4b}$$

$$b_s^{r\ell} = F_{As}^{Br} \frac{\partial \mathfrak{L}}{\partial \psi_{A,\ell}} \psi_B \ , \tag{2.4c}$$

where t_s^r will be called the canonical momentum complex, T_s^r will be called the momentum complex and $b_s^{r\ell}$ will be called the spin complex. The term complex means that these quantities are only tensor densities under linear transformations. For example in special relativity t_s^r is called the canonical momentum "tensor" while in general relativity t_s^r is the energy momentum pseudo-tensor. In terms of these non-tensorial quantities, the varied action becomes

$$\delta I = \int_R \Big[- T_{s,r}^r \, \delta x^s - (T_s^r - b_s^{r\ell}{}_{,\ell}) \, \delta x^s{}_{,r} + b_s^{r\ell} \, \delta x^s{}_{,r,\ell} \Big] d^4x = 0 \ . \tag{2.5}$$

The identities which follow are (Noether's theorem[3])

$$(\mathfrak{L}^A F_{As}^{Br} \psi_B)_{,r} + \mathfrak{L}^A \psi_{A,s} = 0 \tag{2.5a}$$

$$T_{s,r}^r = 0 \tag{2.5b}$$

$$T_s^r - b_s^{r\ell}{}_{,\ell} = 0 \tag{2.5c}$$

$$b_s^{r\ell} + b_s^{\ell r} = 0 \ . \tag{2.5d}$$

III. Covariant Formulation

In this section we shall rewrite equations (2.5) so that only tensors and tensorial operations (covariant differentiation) appear. To do this we use (1.8) and write $\mathcal{L}$ in terms of $\psi_{A;r}$ instead of $\psi_{A,r}$

$$\mathcal{L}(x^\ell|\psi_A|\psi_{A,r}) = \mathcal{L}(x^\ell|\psi_A|\psi_{A;r} - F^{Bp}_{A\ell}\,\Gamma^{\ell}_{pr}\,\psi_B) = \mathcal{L}_c(x^\ell|\psi_A|\psi_{A;r}) \ . \tag{3.1}$$

Of course this substitution cannot be made for the gravitational field $g_{\ell k}$ because $g_{\ell k}$ satisfies (1.9). The same type of relation as (1.2) connects $\mathcal{L}_c$ with L_c

$$\mathcal{L}_c = \sqrt{-g}\, L_c \ . \tag{3.2}$$

The variation of the action associated with $\mathcal{L}_c$ leads to

$$\delta I = \int_R \left[L_c^A\, \bar{\delta}\, \psi_A + \left(\frac{\partial L_c}{\partial \psi_{A;r}}\, \bar{\delta}\, \psi_A + L_c\, \delta x^r \right)_{;r} \right] \sqrt{-g}\, d^4x = 0 \tag{3.3}$$

$$L_c^A = \frac{\partial L_c}{\partial \psi_A} - \left(\frac{\partial L_c}{\partial \psi_{A;r}} \right)_{;r} \ . \tag{3.4}$$

Lagrange's equations are

$$L_c^A = 0 \ . \tag{3.5}$$

One can easily prove the following relation

$$\sqrt{-g}\, L_c^A = \mathcal{L}^A \ , \tag{3.6}$$

and, therefore, the two forms of Lagrange's equations are equivalent. Using (1.7) in (3.3) one obtains

$$\delta I = \int_R \Big[- \Big((L_c^A F_{As}^{Br} \psi_B)_{;r} + L_c^A \psi_{A;s} \Big) \delta x^s$$

$$+ \Big(L_c^A F_{As}^{B\ell} \psi_B \delta x^s + \frac{\partial L_c}{\partial \psi_{A;r}} F_{As}^{Br} \psi_B \delta x^s{}_{;r}$$

$$- \frac{\partial L_c}{\partial \psi_{A;\ell}} \psi_{A;s} \delta x^s + L_c \delta x^\ell \Big)_{;\ell} \Big] \sqrt{-g}\, d^4x = 0 \,. \quad (3.7)$$

From (3.7) one derives the covariant Noether identities in the same way as the non-covariant identities (2.5) were derived. Using Gauss's law and (3.7) we can deduce the Bianchi identities

$$\Big(L_c^A F_{As}^{Br} \psi_B \Big)_{;r} + L_c^A \psi_{A;s} = 0 \,. \quad (3.8)$$

Using the Bianchi identities in (3.7) one obtains

$$\delta I = \int_R \Big[- S_{r;\ell}^{\ell} \delta x^r - \Big(S_r^\ell - B_r^{\ell k}{}_{;k} \Big) \delta x^r{}_{;\ell}$$

$$+ B_r^{\ell k} \delta x^r{}_{;\ell;k} \Big] \sqrt{-g}\, d^4x = 0 \,, \quad (3.9)$$

where

$$u_r^\ell = \frac{\partial L_c}{\partial \psi_{A;\ell}} \psi_{A;r} - \delta_r^\ell L_c \quad (3.10a)$$

$$S_r^\ell = u_r^\ell - L_c^A F_{Ar}^{B\ell} \psi_B \quad (3.10b)$$

$$B_r^{\ell k} = F_{Ar}^{B\ell} \frac{\partial L_c}{\partial \psi_{A;k}} \psi_B \,. \quad (3.10c)$$

In (3.9) the coefficients of δx^r, $\delta x^r{}_{;\ell}$ and $1/2(\delta x^r{}_{;\ell;k} + \delta x^r{}_{;k;\ell})$ must vanish separately. This leads to the following set of identities

$$\Big(L_c^A F_{As}^{Br} \psi_B \Big)_{;r} + L_c^A \psi_{A;s} = 0 \,, \quad (3.11a)$$

$$S_{r;\ell}^{\ell} - 1/2\, R_{rsp}^{\ell} B_\ell^{ps} = 0 \,, \quad (3.11b)$$

$$S^{\ell}_{r} - B^{\ell k}_{r\ ;k} = 0 \ , \tag{3.11c}$$

$$B^{\ell k}_{r} + B^{k\ell}_{r} = 0 \ . \tag{3.11d}$$

where R^{ℓ}_{rsp} is the Riemann tensor which enters by way of the Ricci identity

$$(\delta x^{r}_{\ ;\ell\ ;k} - \delta x^{r}_{\ ;k;\ell}) = - \delta x^{p} R^{r}_{p\ell k} \ . \tag{3.12}$$

S^{ℓ}_{r}, u^{ℓ}_{r} and $B^{\ell k}_{r}$ are the tensors which replace T^{ℓ}_{r}, t^{ℓ}_{r} and $b^{\ell k}_{r}$ of (2.5). The identities (3.11) along with the field equations $L^{A}_{c} = 0$ represent a completely covariant field theory. All the quantities appearing in (3.11) are tensors and only covariant derivatives appear.

The existence of the completely covariant identities (3.8) is not due to the fact that $\psi_{A;r}$ was used in the Lagrangian density instead of $\psi_{A,r}$, but to the way the terms were collected together in (3.9). In (3.9) we have used covariant derivatives $\delta x^{r}_{\ ;\ell}$ and $\delta x^{r}_{\ ;\ell\ ;k}$ whereas in the conventional formulation $\delta x^{r}_{\ ,\ell}$ and $\delta x^{r}_{\ ,\ell,k}$ were used. Even the theory of gravitation for which

$$g_{rs;\ell} = \psi_{A;\ell} = 0$$

can be written in a completely covariant form.

The two sets of identities (2.5) and (3.11) must be equivalent because they arise from the same variational principle. This equivalence may be verified directly by writing out (3.11) in terms of ordinary quantities and operations and noting that (2.5) follows.

IV. Covariant Formulation of General Relativity

In this section we write the identities corresponding to (3.8) for the Lagrangian of general relativity. Writing this Lagrangian in the form

$$\mathfrak{L}_c = \sqrt{-g}\, L_c = \mathfrak{L}_c(g_{\ell k} | g_{\ell k,r} | g_{\ell k,r,s} | \psi_A | \psi_{A;r}) = c_1 \sqrt{-g}\, R + \mathfrak{L}_M \tag{4.1}$$

where $c_1 = \frac{c^4}{16\pi G}$; c is the speed of light and G is the Newtonian gravitational constant. In (4.1) R is the usual Lagrangian for the gravitational field $g_{\ell k}$ and $\mathfrak{L}_M = \sqrt{-g}\, L_M$ is the Lagrangian for the source fields ψ_A. We shall assume that second derivatives of the metric tensor occur only in R since this is the case for all practical situations. Define

$$S_s^r = \frac{\partial L_c}{\partial \psi_{A;r}} \psi_{A;s} - \delta_s^r L_c + \frac{2}{\sqrt{-g}} E_{cs}^r - L_c^A F_{As}^{Br} \psi_B \tag{4.2a}$$

$$B_s^{kr} = - \frac{2g_{p\ell}}{\sqrt{-g}} \frac{d\mathfrak{L}_M}{dg_{pk,r}} + \frac{\partial L_M}{\partial \psi_{A;r}} F_{A\ell}^{Bk} \psi_B \tag{4.2b}$$

$$C_s^{knr} = - \frac{2g_{s\ell}}{\sqrt{-g}} \frac{d\mathfrak{L}_c}{dg_{\ell k,n,r}} \quad , \tag{4.2c}$$

where

$$\frac{d\mathfrak{L}_c}{dg_{\ell k \ldots}} = \frac{\partial \mathfrak{L}_c}{\partial g_{\ell k \ldots}} + \frac{\partial \mathfrak{L}_c}{\partial \psi_{A;r}} \frac{\partial \psi_{A;r}}{\partial g_{\ell k \ldots}} \quad , \tag{4.3}$$

$$E_c^{rs} = \frac{d\mathfrak{L}_c}{dg_{rs}} - \left(\frac{d\mathfrak{L}_c}{dg_{rs,p}}\right)_{,p} + \left(\frac{d\mathfrak{L}_c}{dg_{rs,p,q}}\right)_{,q,p} \quad , \tag{4.4}$$

and

$$E_{cs}^r = g_{sk} E_c^{kr} \quad . \tag{4.5}$$

One now proceeds in exactly the same way as when deriving (3.11) and finds the following identities for general relativity

$$\left(L_c^A F_{As}^{Br} \psi_B\right)_{;r} + L_c^A \psi_{A;s} + \left(\frac{2}{\sqrt{-g}} E_{cs}^k\right)_{;k} = 0 \tag{4.6a}$$

$$S_{s;r}^r - 1/2\ R_{skr}^p\ (B_p^{kr} + C_p^{krn}{}_{;n}) - 1/3\ (R_{srk;n}^p + R_{snk;r}^p)\ C_p^{knr} = 0 \tag{4.6b}$$

$$S_s^r - B_s^{kr}{}_{;k} - 1/2\ R_{sn\ell}^p\ C_p^{rn\ell} - 1/2\ R_{kn\ell}^r\ C_s^{kn\ell} - 1/2\ R_{snk}^p\ C_p^{knr} - 1/2\ R_{snk}^p\ C_p^{knr} + 1/6\ R_{pnk}^r\ C_s^{knp} + 1/6\ R_{npk}^r\ C_s^{knp} = 0\ , \tag{4.6c}$$

$$B_s^{kr} + B_s^{rk} + C^{krn}{}_{;n} + C^{rkn}{}_{;n} = 0\ , \tag{4.6d}$$

$$C_s^{knr} + C_s^{krn} + C_s^{nkr} + C_s^{nrk} + C_s^{rnk} + C_s^{rkn} = 0\ . \tag{4.6e}$$

Equations (4.6) along with the field equations

$$E_c^{rs} = 0$$

$$L_M^A = 0 \tag{4.7}$$

represents a completely covariant theory of gravitation. All quantities appearing in (4.6) and (4.7) are tensors and all derivatives are covariant. In order to reduce B_s^{kr} to the form (4.2b) one must use the following interesting identity

$$\frac{\partial\sqrt{-g}\ R}{\partial g_{\ell k,r}} - \left(\frac{\partial\sqrt{-g}\ R}{\partial g_{\ell k,r,n}}\right)_{,n} + \Gamma_{pn}^{\ell}\ \frac{\partial\sqrt{-g}\ R}{\partial g_{pk,n,r}} + \Gamma_{pn}^{\ell}\ \frac{\partial\sqrt{-g}\ R}{\partial g_{pk,n,r}} = 0\ , \tag{4.8}$$

in the expression

$$B_s^{kr} = \frac{-2}{\sqrt{-g}} g_{s\ell} \left(\frac{d\mathfrak{L}_c}{dg_{\ell k,r}} - \left(\frac{d\mathfrak{L}_c}{dg_{\ell k,r,n}} \right)_{,n} + \Gamma^{\ell}_{pn} \frac{d\mathfrak{L}_c}{dg_{pk,n,r}} + \Gamma^{\ell}_{pn} \frac{d\mathfrak{L}_c}{dg_{kp,n,r}} \right) + \frac{\partial L_c}{\partial \psi_{A;r}} F^{Bk}_{As} \psi_B \qquad (4.9)$$

which appears in the varied action associated with (4.1).

We shall delay the interpretation of the various terms in (4.6) until a later publication.

References

1. For simplicity all fields in this paper will be assumed to be defined in a hyperbolic Riemannian space of signature (+ + + -), however, many of the results are valid in a general differentiable manifold. The capital Latin indices A, B, C... stand for a set of tensor indices while small Latin indices i, j, k, ℓ... run over the set (1,2,3,4). The summation convention is employed for both sets.

2. Bergmann, P., Phys. Rev. 75, 680 (1949).

3. Trautman, A., Gravitation: An Introduction to Current Research (A book edited by L. Witten, Wiley, New York, 1962). Many relevant references may be found in this article.

Distribution list as of May 1, 1966

1 Dr. Edward M. Reilley
Asst Director (Research)
Ofc. of Defense Res. & Engrg.
Department of Defense
Washington, D. C. 20301

1 Office of Deputy Director
(Research and Information Rm 3D1037)
Department of Defense
The Pentagon
Washington, D. C. 20301

1 Director
Advanced Research Projects Agency
Department of Defense
Washington, D. C. 20301

1 Director for Materials Sciences
Advanced Research Projects Agency
Department of Defense
Washington, D. C. 20301

1 Headquarters
Defense Communications Agency (333)
The Pentagon
Washington, D. C. 20305

20 Defense Documentation Center
Attn: TISIA
Cameron Station, Building 5
Alexandria, Virginia 22314

1 Director
National Security Agency
Attn: Librarian C-332
Fort George G. Meade, Maryland 20755

1 Weapons Systems Evaluation Group
Attn: Col. Finis G. Johnson
Department of Defense
Washington, D. C. 20305

1 National Security Agency
Attn: R4-James Tippet
Office of Research
Fort George G. Meade, Maryland 20755

1 Central Intelligence Agency
Attn: OCR/DD Publications
Washington, D. C. 20505

1 AFRSTE
Hqs. USAF
Room 1D-429, The Pentagon
Washington, D. C. 20330

1 AUL3T-9663
Maxwell Air Force Base, Alabama 36112

1 AFFTC (FTBPP-2)
Technical Library
Edwards AFB, California 93523

1 Space Systems Division
Air Force Systems Command
Los Angeles Air Force Station
Los Angeles, California 90045
Attn: SSSD

1 SSD(SSTRT/Lt. Starbuck)
AFUPO
Los Angeles, California 90045

1 Det. #6, OAR (LOOAR)
Air Force Unit Post Office
Los Angeles, California 90045

1 Systems Engineering Group (RTD)
Technical Information Reference Branch
Attn. SEPIR
Directorate of Engineering Standards
& Technical Information
Wright-Patterson AFB, Ohio 45433

1 ARL (ARIY)
Wright-Patterson AFB, Ohio 45433

1 AFAL (AVT)
Wright-Patterson AFB, Ohio 45433

1 AFAL (AVTE/R. D. Larson)
Wright-Patterson AFB, Ohio 45433

1 Office of Research Analyses
Attn: Technical Library Branch
Holloman AFB, New Mexico 88330

2 Commanding General
Attn: STEWS-WS-VT
White Sands Missile Range
New Mexico 88002

1 RADC (EMLAL-I)
Griffiss AFB, New York 13442
Attn: Documents Library

1 Academy Library (DFSLB)
U. S. Air Force Academy
Colorado 80840

1 FJSRL
USAF Academy, Colorado 80840

1 APGC (PGBPS-12)
Eglin AFB, Florida 32542

1 AFETR Technical Library
(ETV, MU-135)
Patrick AFB, Florida 32925

1 AFETR (ETLLG-I)
STINFO Officer (for Library)
Patrick AFB, Florida 32925

1 AFCRL (CRMXLR)
AFCRL Research Library, Stop 29
L. G. Hanscom Field
Bedford, Massachusetts 01731

2 ESD (ESTI)
L. G. Hanscom Field
Bedford, Massachusetts 01731

1 AEDC (ARO, INC)
Attn: Library/Documents
Arnold AFS, Tennessee 37389

2 European Office of Aerospace Research
Shell Building
47 Rue Cantersteen
Brussels, Belgium

5 Lt. Col. E. P. Gaines, Jr.
Chief, Electronics Division
Directorate of Engineering Sciences
Air Force Office of Scientific Research
Washington, D. C. 20333

1 U. S. Army Research Office
Attn. Physical Sciences Division
3045 Columbia Pike
Arlington, Virginia 22204

1 Research Plans Office
U. S. Army Research Office
3045 Columbia Pike
Arlington, Virginia 22204

1 Commanding General
U. S. Army Materiel Command
Attn: AMCRD-RS-PE-E
Washington, D. C. 20315

1 Commanding General
U. S. Army Strategic Communications Command
Washington, D. C. 20315

1 Commanding Officer
U. S. Army Materials Research Agency
Watertown Arsenal
Watertown, Massachusetts 02172

1 Commanding Officer
U. S. Army Ballistics Research Laboratory
Attn: V. W. Richards
Aberdeen Proving Ground
Aberdeen, Maryland 21005

1 Commandant
U. S. Army Air Defense School
Attn: Missile Sciences Division C&S Dept.
P. O. Box 9390
Fort Bliss, Texas 79916

1 Commanding General
U. S. Army Missile Command
Attn: Technical Library
Redstone Arsenal, Alabama 35809

1 Commanding General
Frankford Arsenal
Attn: SMUFA-L6000 (Dr. Sidney Ross)
Philadelphia, Pennsylvania 19137

1 U. S. Army Munitions Command
Attn: Technical Information Branch
Picatinney Arsenal
Dover, New Jersey 07801

1 Commanding Officer
Harry Diamond Laboratories
Attn: Mr. Berthold Altman
Connecticut Avenue & Van Ness Street N. W.
Washington, D. C. 20438

1 Commanding Officer
U. S. Army Security Agency
Arlington Hall
Arlington, Virginia 22212

1 Commanding Officer
U. S. Army Limited War Laboratory
Attn: Technical Director
Aberdeen Proving Ground
Aberdeen, Maryland 21005

1 Commanding Officer
Human Engineering Laboratories
Aberdeen Proving Ground, Maryland 21005

1 Director
U. S. Army Engineer Geodesy, Intelligence
and Mapping
Research and Development Agency
Fort Belvoir, Virginia 22060

1 Commandant
U. S. Army Command and General Staff College
Attn: Secretary
Fort Leavenworth, Kansas 66270

1 Dr. H. Robl, Deputy Chief Scientist
U. S. Army Research Office (Durham)
Box CM, Duke Station
Durham, North Carolina 27706

1 Commanding Officer
U. S. Army Research Office (Durham)
Attn: CRD-AA-IP (Richard O. Ulsh)
Box CM, Duke Station
Durham, North Carolina 27706

1 Superintendent
U. S. Army Military Academy
West Point, New York 10996

1 The Walter Reed Institute of Research
Walter Reed Medical Center
Washington, D. C. 20012

1 Commanding Officer
U. S. Army Electronics R&D Activity
Fort Huachuca, Arizona 85163

1 Commanding Officer
U. S. Army Engineer R&D Laboratory
Attn: STINFO Branch
Fort Belvoir, Virginia 22060

1 Commanding Officer
U. S. Army Electronics R&D Activity
White Sands Missile Range, New Mexico 88002

1 Dr. S. Benedict Levin, Director
Institute for Exploratory Research
U. S. Army Electronics Command
Fort Monmouth, New Jersey 07703

1 Director
Institute for Exploratory Research
U. S. Army Electronics Command
Attn: Mr. Robert O. Parker, Executive
Secretary, JSTAC (AMSEL-XL-D)
Fort Monmouth, New Jersey 07703

1 Commanding General
U. S. Army Electronics Command
Fort Monmouth, New Jersey 07703

Attn: AMSEL-SC
RD-D
RD-G
RD-GF
RD-MAF-I
RD-MAT
XL-D
XL-E
XL-C
XL-S
HL-D
HL-L
HL-J
HL-P
HL-O
HL-R
NL-D
NL-A
NL-P
NL-R
NL-S
KL-D
KL-E
KL-S
KL-T
VL-D
WL-D

3 Chief of Naval Research
Department of the Navy
Washington, D. C. 20360
Attn: Code 427

4 Chief, Bureau of Ships
Department of the Navy
Washington, D. C. 20360

3 Chief, Bureau of Weapons
Department of the Navy
Washington, D. C. 20360

2 Commanding Officer
Office of Naval Research Branch Office
Box 39, Navy No. 100 F.P.O.
New York, New York 09510

3 Commanding Officer
Office of Naval Research Branch Office
219 South Dearborn Street
Chicago, Illinois 60604

1 Commanding Officer
Office of Naval Research Branch Office
1030 East Green Street
Pasadena, California

1 Commanding Officer
Office of Naval Research Branch Office
207 West 24th Street
New York, New York 10011

Distribution list as of May 1, 1966 (cont'd.)

1 Commanding Officer
Office of Naval Research Branch Office
495 Summer Street
Boston, Massachusetts 02210

8 Director, Naval Research Laboratory
Technical Information Officer
Washington, D. C.
Attn: Code 2000

1 Commander
Naval Air Development and Material Center
Johnsville, Pennsylvania 18974

2 Librarian
U. S. Naval Electronics Laboratory
San Diego, California 95152

1 Commanding Officer and Director
U. S. Naval Underwater Sound Laboratory
Fort Trumbull
New London, Connecticut 06840

1 Librarian
U. S. Navy Post Graduate School
Monterey, California

1 Commander
U. S. Naval Air Missile Test Center
Point Magu, California

1 Director
U. S. Naval Observatory
Washington, D. C.

2 Chief of Naval Operations
OP-07
Washington, D. C.

1 Director, U. S. Naval Security Group
Attn: G43
3801 Nebraska Avenue
Washington, D. C.

2 Commanding Officer
Naval Ordnance Laboratory
White Oak, Maryland

1 Commanding Officer
Naval Ordnance Laboratory
Corona, California

1 Commanding Officer
Naval Ordnance Test Station
China Lake, California

1 Commanding Officer
Naval Avionics Facility
Indianapolis, Indiana

1 Commanding Officer
Naval Training Device Center
Orlando, Florida

1 U. S. Naval Weapons Laboratory
Dahlgren, Virginia

1 Weapons Systems Test Division
Naval Air Test Center
Patuxtent River, Maryland
Attn: Library

1 Mr. Charles F. Yost
Special Assistant to the Director of Research
National Aeronautics and Space Administration
Washington, D. C. 20546

1 Dr. H. Harrison, Code RRE
Chief, Electrophysics Branch
National Aeronautics and Space Administration
Washington, D. C. 20546

1 Goddard Space Flight Center
National Aeronautics and Space Administration
Attn: Library, Documents Section Code 252
Greenbelt, Maryland 20771

1 NASA Lewis Research Center
Attn: Library
21000 Brookpark Road
Cleveland, Ohio 44135

1 National Science Foundation
Attn: Dr. John R. Lehmann
Division of Engineering
1800 G Street, N. W.
Washington, D. C. 20550

1 U. S. Atomic Energy Commission
Division of Technical Information Extension
P. O. Box 62
Oak Ridge, Tennessee 37831

1 Los Alamos Scientific Laboratory
Attn: Reports Library
P. O. Box 1663
Los Alamos, New Mexico 87544

2 NASA Scientific & Technical Information Facility
Attn: Acquisitions Branch (S/AK/DL)
P. O. Box 33
College Park, Maryland 20740

1 Director
Research Laboratory of Electronics
Massachusetts Institute of Technology
Cambridge, Massachusetts 02139

1 Polytechnic Institute of Brooklyn
55 Johnson Street
Brooklyn, New York 11201
Attn: Mr. Jerome Fox
Research Coordinator

1 Director
Columbia Radiation Laboratory
Columbia University
538 West 120th Street
New York, New York 10027

1 Director
Coordinated Science Laboratory
University of Illinois
Urbana, Illinois 61801

1 Director
Stanford Electronics Laboratories
Stanford University
Stanford, California

1 Director
Electronics Research Laboratory
University of California
Berkeley 4, California

1 Director
Electronic Sciences Laboratory
University of Southern California
Los Angeles, California 90007

1 Professor A. A. Dougal, Director
Laboratories for Electronics and
Related Sciences Research
University of Texas
Austin, Texas 78712

1 Division of Engineering and Applied Physics
210 Pierce Hall
Harvard University
Cambridge, Massachusetts 02138

1 Aerospace Corporation
P. O. Box 95085
Los Angeles, California 90045
Attn: Library Acquisitions Group

1 Professor Nicholas George
California Institute of Technology
Pasadena, California

1 Aeronautics Library
Graduate Aeronautical Laboratories
California Institute of Technology
1201 E. California Boulevard
Pasadena, California 91109

1 Director, USAF Project RAND
Via: Air Force Liaison Office
The RAND Corporation
1700 Main Street
Santa Monica, California 90406
Attn: Library

1 The Johns Hopkins University
Applied Physics Laboratory
8621 Georgia Avenue
Silver Spring, Maryland
Attn: Boris W. Kuvshinoff
Document Librarian

1 Hunt Library
Carnegie Institute of Technology
Schenley Park
Pittsburgh, Pennsylvania 15213

1 Dr. Leo Young
Stanford Research Institute
Menlo Park, California

1 Mr. Henry L. Bachmann
Assistant Chief Engineer
Wheeler Laboratories
122 Cuttermill Road
Great Neck, New York

1 University of Liege
Electronic Department
Mathmatics Institute
15, Avenue Des Tilleuls
Val-Benoit, Liege
Belgium

1 School of Engineering Sciences
Arizona State University
Tempe, Arizona

1 University of California at Los Angeles
Department of Engineering
Los Angeles, California

1 California Institute of Technology
Pasadena, California
Attn: Documents Library

1 University of California
Santa Barbara, California
Attn: Library

1 Carnegie Institute of Technology
Electrical Engineering Department
Pittsburgh, Pennsylvania

1 University of Michigan
Electrical Engineering Department
Ann Arbor, Michigan

1 New York University
College of Engineering
New York, New York

1 Syracuse University
Department of Electrical Engineering
Syracuse, New York

1 Yale University
Engineering Department
New Haven, Connecticut

1 Airborne Instruments Laboratory
Deerpark, New York

1 Bendix Pacific Division
11600 Sherman Way
North Hollywood, California

1 General Electric Company
Research Laboratories
Schenectady, New York

1 Lockheed Aircraft Corporation
P. O. Box 504
Sunnyvale, California

1 Raytheon Company
Bedford, Massachusetts
Attn: Librarian

Security Classification

DOCUMENT CONTROL DATA R&D

(Security classification of title, body of abstract and indexing annotation must be entered when the overall report is classified)

1. ORIGINATING ACTIVITY (Corporate author)
University of Illinois
Coordinated Science Laboratory
Urbana, Illinois 61801

2a. REPORT SECURITY CLASSIFICATION
Unclassified

2b. GROUP

3. REPORT TITLE

COVARIANT NOETHER IDENTITIES IN COVARIANT FIELD THEORIES

4. DESCRIPTIVE NOTES (Type of report and inclusive dates)

5. AUTHOR(S) (Last name, first name, initial)
Ray, John R.

6. REPORT DATE
July, 1966

7a TOTAL NO. OF PAGES
11

7b. NO. OF REFS.
2

8a. CONTRACT OR GRANT NO.
DA 28 043 AMC 00073(E)

b. PROJECT NO.
20014501B31F

c.

d.

9a. ORIGINATOR'S REPORT NUMBER(S)
R-305

9b. OTHER REPORT NO(S) (Any other numbers that may be assigned this report)

10. AVAILABILITY/LIMITATION NOTICES

Distribution of this report is unlimited.

11. SUPPLEMENTARY NOTES

12. SPONSORING MILITARY ACTIVITY
Joint Services Electronics Program
thru U. S. Army Electronics Command
Fort Monmouth, New Jersey 07703

13. ABSTRACT

In covariant field theories such as general relativity the application of Noether's theorem results in a set of identities which are satisfied regardless of whether the field equations are satisfied or not (so-called strong conservation laws). In the conventional formulation these identities contain non-tensorial quantities and non-tensorial operations. Thus, for example, the energy-momentum-pseudo-tensor of general relativity is obtained from such formulations. In this paper the identities arising from Noether's theorem are written in an obviously covariant form containing only tensors and covariant derivatives. As an example we give these identities for general relativity. (Author)

DD FORM 1 JAN 64 1473

Security Classification

Security Classification

KEY WORDS	LINK A		LINK B		LINK C	
	ROLE	WT	ROLE	WT	ROLE	WT
covariant field theories general relativity Noether's theorem strong conservation laws energy-momentum-psuedo-tensor						

INSTRUCTIONS

1. ORIGINATING ACTIVITY: Enter the name and address of the contractor, subcontractor, grantee, Department of Defense activity or other organization (corporate author) issuing the report.

2a. REPORT SECURITY CLASSIFICATION: Enter the overall security classification of the report. Indicate whether "Restricted Data" is included. Marking is to be in accordance with appropriate security regulations.

2b. GROUP: Automatic downgrading is specified in DoD Directive 5200.10 and Armed Forces Industrial Manual. Enter the group number. Also, when applicable, show that optional markings have been used for Group 3 and Group 4 as authorized.

3. REPORT TITLE: Enter the complete report title in all capital letters. Titles in all cases should be unclassified. If a meaningful title cannot be selected without classification, show title classification in all capitals in parenthesis immediately following the title.

4. DESCRIPTIVE NOTES: If appropriate, enter the type of report, e.g., interim, progress, summary, annual, or final. Give the inclusive dates when a specific reporting period is covered.

5. AUTHOR(S): Enter the name(s) of author(s) as shown on or in the report. Enter last name, first name, middle initial. If military, show rank and branch of service. The name of the principal author is an absolute minimum requirement.

6. REPORT DATE: Enter the date of the report as day, month, year; or month, year. If more than one date appears on the report, use date of publication.

7a. TOTAL NUMBER OF PAGES: The total page count should follow normal pagination procedures, i.e., enter the number of pages containing information.

7b. NUMBER OF REFERENCES: Enter the total number of references cited in the report.

8a. CONTRACT OR GRANT NUMBER: If appropriate, enter the applicable number of the contract or grant under which the report was written.

8b, 8c, & 8d. PROJECT NUMBER: Enter the appropriate military department identification, such as project number, subproject number, system numbers, task number, etc.

9a. ORIGINATOR'S REPORT NUMBER(S): Enter the official report number by which the document will be identified and controlled by the originating activity. This number must be unique to this report.

9b. OTHER REPORT NUMBER(S): If the report has been assigned any other report numbers (either by the originator or by the sponsor), also enter this number(s).

10. AVAILABILITY/LIMITATION NOTICES: Enter any limitations on further dissemination of the report, other than those imposed by security classification, using standard statements such as:

(1) "Qualified requesters may obtain copies of this report from DDC."

(2) "Foreign announcement and dissemination of this report by DDC is not authorized."

(3) "U. S. Government agencies may obtain copies of this report directly from DDC. Other qualified DDC users shall request through

_____."

(4) "U. S. military agencies may obtain copies of this report directly from DDC. Other qualified users shall request through

_____."

(5) "All distribution of this report is controlled. Qualified DDC users shall request through

_____."

If the report has been furnished to the Office of Technical Services, Department of Commerce, for sale to the public, indicate this fact and enter the price, if known.

11. SUPPLEMENTARY NOTES: Use for additional explanatory notes.

12. SPONSORING MILITARY ACTIVITY: Enter the name of the departmental project office or laboratory sponsoring (paying for) the research and development. Include address.

13. ABSTRACT: Enter an abstract giving a brief and factual summary of the document indicative of the report, even though it may also appear elsewhere in the body of the technical report. If additional space is required, a continuation sheet shall be attached.

It is highly desirable that the abstract of classified reports be unclassified. Each paragraph of the abstract shall end with an indication of the military security classification of the information in the paragraph, represented as (TS), (S), (C), or (U).

There is no limitation on the length of the abstract. However, the suggested length is from 150 to 225 words.

14. KEY WORDS: Key words are technically meaningful terms or short phrases that characterize a report and may be used as index entries for cataloging the report. Key words must be selected so that no security classification is required. Identifiers, such as equipment model designation, trade name, military project code name, geographic location, may be used as key words but will be followed by an indication of technical context. The assignment of links, roles, and weights is optional.

DD FORM 1 JAN 64 1473

Security Classification